

FURUNO


INSTALLATION MANUAL

COLOR SCANNING SONAR

MODEL CSH-23/23F/24/24F



FURUNO ELECTRIC CO., LTD.
NISHINOMIYA, JAPAN



© **FURUNO ELECTRIC CO., LTD.**

9-52 Ashihara-cho,
Nishinomiya, Japan

Telephone : 0798-65-2111

Telefax : 0798-65-4200

Your Local Agent/Dealer

All rights reserved.

Printed in Japan

FIRST EDITION : NOV. 1997

G : JUN. 04,2002

PUB.No. IME-13040-G

(TENI) CSH-23/24/F



00080806901



IME13040G00



SAFETY INSTRUCTIONS



WARNING



Do not open the cover unless totally familiar with electrical circuits and service manual.

High voltage exists inside the equipment, and a residual charge remains in capacitors several minutes after the power is turned off. Improper handling can result in electrical shock.

Turn off the power at the switchboard before beginning the installation.

Fire or electrical shock can result if the power is left on.

Do not install the equipment where it may get wet from rain or water splash.

Water in the equipment can result in fire, electrical shock or equipment damage.

Be sure no water leaks in at the transducer installation site.

Water leakage can sink the vessel. Also confirm that the transducer will not loosen by ship's vibration. The installer of the equipment is solely responsible for the proper installation of the equipment. FURUNO will assume no responsibility for any damage associated with improper installation.



WARNING

Install the specified transducer tank in accordance with the installation instructions. If a different tank is to be installed the shipyard is solely responsible for its installation, and it should be installed so the hull will not be damaged if the tank strikes an object.

The tank or hull may be damaged if the tank strikes an object.

If a steel tank is installed on a wooden or FRP vessel, take appropriate measures to prevent electrolytic corrosion.

Electrolytic corrosion can damage the hull.

Be sure that the power supply is compatible with the voltage rating of the equipment.

Connection of an incorrect power supply can cause fire or equipment damage. The voltage rating of the equipment appears on the label above the power connector.



CAUTION



Ground the equipment to prevent electrical shock and mutual interference.

Observe the following compass safe distances:

	Standard	Steering
Display unit for CSH-23	0.9 m	0.68 m
Display unit for CSH-24	1.7 m	1.3 m

TABLE OF CONTENTS

1. SYSTEM CONFIGURATION	1
2. EQUIPMENT LISTS	2
 3. MOUNTING THE EQUIPMENT	
3.1 Mounting the Hull Unit and Receiver Unit	3
3.2 Mounting the Display Unit/Sub-display Unit	9
3.3 Mounting the Transmitter Unit	10
3.4 Mounting the Interface Unit	10
3.5 Mounting the FNZ Joint Box	10
3.6 Grounding the Equipment	11
 4. WIRING	
4.1 Cable Configuration	12
4.2 How to Use the Crimping Tool, Pin Extractor	13
4.3 Location of Connectors	14
4.4 Fabricating Cables, Assembling Connectors	15
4.5 Connection of Transducer Cables	23
4.6 Connection of Interface Unit CS-120A	24
4.7 Connection of Sub-display Unit CSH-236/236F (Option)	29
4.8 Connection of Remote Display Unit CSH-106 (Option)	30
4.9 Synchronizing Transmission with Other Sonars, Echo Sounders	31
4.10 Interlocking Operation with Other Sonar	32
 5. CHANGING POWER SPECIFICATIONS	34
 6. ADJUSTMENT AND CHECK	
6.1 Hull Unit Check	35
6.2 Heading Adjustment	36
6.3 DIP Switch Setting in the Display Unit	37
6.4 Setting and Adjustment of the Interface Unit CS-120A	38
 SPARE PARTS/INSTALLATION MATERIALS/ACCESSORIES	A-1
OUTLINE DRAWINGS	D-1
SCHEMATIC DIAGRAMS	S-1

1. SYSTEM CONFIGURATION




Figure 1-1 System configuration

2. EQUIPMENT LISTS

Standard Supply

Name	Type	Qty	Mass (kg)	Remarks		
Display Unit	CSH-230	1	35	CSH-23		
	CSH-230F			CSH-23F		
	CSH-2400			CSH-24		
	CSH-2400F			CSH-24F		
Transmitter Unit	CSH-310	1	96	CSH-23/24		
	CSH-310FII		110	CSH-23F/24F		
Receiver Unit	CSH-220A	1	47	CSH-23/24		
	CSH-220FII			CSH-23F/24F		
Power Supply Unit	CSH-380B	1	56	CSH-23/24		
	CSH-380S			CSH-23F/24F		
Hull Unit	CSH-21080	1	673	Stroke 800 mm*		
	CSH-21120		812	Stroke 1200 mm		
	CSH-21160		873	Stroke 1600 mm		
Remote Control Box	CSH-116	1	0.4			
Interface Unit	CS-120A	1	3			
Installation Materials	CP10-02700	1		6 pairs cable	CSH-23/23F	
	CP10-02710					
	CP10-03400			6 pairs cable	CSH-24/24F	
				CP10-03410		
Spare Parts	SP10-01700	1		CSH-23/24		
	SP10-01800			CSH-23F/24F		
Accessories	FP10-02100	1		FP-10-01801	CSH-23	See end of this book.
				FP10-01201		
				FP10-01203		
				Nyron cover 10-051-1031		
	FP-01900	1		FP10-01201	CSH-24	
				FP10-01203		
				FP10-01901		
				Nyron cover 10-054-1021		

*CSH-23/24 only

Optional Equipment

Name	Type	Mass (kg)	Code No.	Remarks	
FNZ Joint Box	CS-170	2	-		
Step-down Transformer	PT-400	22	-		
E/S Interface Unit	VI-1100A	2	-		
Sub-Display Unit	CSH-236	33	-	CSH-23/23F only	
	CSH-236F	33	-		
Hood	FP10-01801		006-027-830	For CSH-23/24	
Hood	FP10-01901		000-690-855	For CSH-24/24F	
Filter	OP10-11		006-997-710	For CSH-23/2F	
Filter	FP10-02000		000-690-856	For CSH-24/24F	
Extension Cable Set (with inst. materials)	CSH-1600		000-068-165	For CSH-23/23F	
	CSH-1500		000-068-927	For CSH-24/24F	
37C Cable	10S1258		000-101-006	Specify length	
7C Cable	10S1259		000-101-007		
16P Cable	10S1260		000-101-008		
Handle Assembly	OP10-3		006-949-950		
Mounting Fixture	OP10-9		006-990-040	For CSH-116	
Automatic Raise Modification Kit	CSH-1500		000-068-927		
ROM Option Kit A	OP10-15		006-998-620		
ROM Option Kit B	OP10-18		006-998-650		
Hull Unit	CSH-21081-1		-	Stroke 800mm, 24 kHz	Anti-slaming type
	CSH-21081-2		-	Stroke 800mm, 28 kHz	
	CSH-21121-1		-	Stroke 1200mm, 24 kHz	
	CSH-21121-2		-	Stroke 1200mm, 28 kHz	
	CSH-21161-1		-	Stroke 1600mm, 24 kHz	
	CSH-21161-2		-	Stroke 1600mm, 28 kHz	
Anti- slaming Kit	OP10-21		-		

* CSH-23/24 only

3. MOUNTING THE EQUIPMENT

3.1 Mounting the Hull Unit and Receiver Unit

Location of hull unit

Decide the location of the hull unit through consultation with the dockyard and shipowner. When deciding the location, the following points should be taken into account.

- Select an area where propeller noise, cruising noise, air bubbles and interference from turbulence are at a minimum. Generally, the point at $1/3$ to $1/2$ of the ship's length from the bow on or near the keel is optimum. On-the-keel installation is advantageous for minimizing oil consumption in comparison with off-the-keel. If the hull unit can not be installed on the keel, the center of the retraction tank should be within 600 mm of the keel to prevent a rolling effect.




Figure 3-1 Hull unit mounting location

- Select a place where the hull bottom is flat and the draft is sufficiently deep. Normally, the transducer should protrude at least 500 mm beyond the keel to minimize the effect of air foam and bubbles.
- Select a place where interference from other equipment is minimal. The hull unit should be at least 2.5 m away from the transducers of other equipment.
- No obstacle should be in the fore direction since it causes a shadow zone and aerated water, resulting in poor sonar performance.
- The space shown in the figure on the next page is required around the hull unit for wiring and maintenance.
- If the ambient temperature of the unit is below 0°C , provide the sonar compartment with a heater to keep the temperature above 0°C .





Figure 3-2 Maintenance space, example sonar compartment

Shortening the retraction tank

The retraction tank is 1300 mm in length when supplied. Shorten the tank as necessary so that the transducer is placed well below the keel when it is lowered. The following table provides guidelines for shortening the tank. Refer also to the retraction tank installation drawing at the back of this manual.





Installation Method XDCR Travel				
800 mm	Remove 297 thru 382 mm from the bottom.	Same as left	Remove 297 thru 382 mm from the bottom. Note that the length "D" must be less than 1003 mm.	Same as left
1200 mm	Remove 97 thru 382 mm from the bottom.	Same as left	Remove 97 thru 382 mm from the bottom. Note that the length "D" must be less than 1203 mm.	Same as left
1600 mm	Remove within 282 mm from the bottom.	Same as left	Remove within 282 mm from the bottom. Note that the length "D" must be less than 1703 mm.	Same as left

Figure 3-3 Guidelines for shortening the retraction tank

Note 1: In the 800 mm type hull unit, more than 297 mm must be removed from the bottom so that the transducer fully protrudes from the tank. If more than 382 mm is removed, the transducer cannot be retracted into the tank.

Note 2: In the 1200 mm type hull unit, the transducer will not fully protrude unless 97 mm is removed from the bottom, and cannot be fully retracted if more than 382 mm is removed.

Note 3: In the 1600 mm type hull unit, the transducer cannot be fully retracted if more than 282 mm is removed.

Note 4: When 382 mm (282 mm for 1600 mm type) is removed and "D" is minimum, the effect of air foam is minimized because the transducer fully protrudes in water.

Remarks for installation of retraction tank

1. Make, if possible, the installation location a double bottom structure.
2. Install, if possible, the tank on the keel where the tank can be most firmly fixed.
3. Install the reinforcement ribs as near as possible to the top of the retraction tank, allowing space for tightening of bolts and nuts.




Figure 3-4 How to install reinforcement ribs

4. When an attachment flange is used, install reinforcement ribs to the attachment flange.




Figure 3-5 Installing reinforcement ribs to the attachment flange

5. Add a doubling plate at the location where the retraction tank is welded to the hull bottom. The size of the doubling plate is normally 1200 mm to 1300 mm in diameter so that it lies across two bottom frames.

Installing hull unit on retraction tank

After welding the retraction tank and allowing sufficient time for cooling, install the hull unit as follows:

1. Clean the hull unit flange, the O-ring and O-ring groove and coat them with a slight amount of grease. Place the O-ring in position on the tank flange.
2. Lay the gasket (1) on the top of the tank flange.
3. Orient the hull unit so that the bow mark (arrow) on its flange points toward the ship's bow. Note that heading adjustment in the display unit is required if the bow mark does not face the ship's bow.
4. For the 1200 mm transducer travel type, 11 of the 24 bolt holes on the hull unit flange have already been fitted with bolts. Insert the gasket (2) into the bolt holes of the tank flange to which these 11 bolts are fitted. Note that it is difficult to fit them after the hull unit has been placed on the tank.
5. Confirm that the O-ring and the gasket (1) are in position. Place the hull unit on the tank.
6. Coat every bolt, washer and nut with slight amount of grease to ease removal. Fit the insulation gasket (2) into the bolt holes of both the tank and hull unit flanges. Fasten the hull unit to the retraction tank with gasket (2), flat washers, spring washers and hex bolts. (Insulation gasket (2) and gasket (2) are used on the 1200 mm transducer travel type only.)
7. Reinforce the hull unit against vibration by extending stays to the ship's hull from the two eye bolts at the top of the hull unit, referring to figure at the top of the next page.




Figure 3-6 Installation of hull unit

Installing stays (anti-vibration measure)

Install stays from the top of the hull unit to the ship's hull. The stays should be angle iron with a size of 75 x 75 x 9 mm or more and at least two pieces should be used; one each to ship's bow and stern directions. Install if possible, two more stays in ship's transverse direction.




Figure 3-7 Proper installation of stays

Do not install the stays as shown below. Vibration-resistance effect is reduced since vibration is applied to the stays as rotation force. Install them horizontally.




Figure 3-8 Proper and wrong installation of stay

Fastening receiver unit to hull unit

Fasten the receiver unit to the left side of the hull unit as shown at right.

A transducer cable protection cover has been fitted where the receiver unit is to be fastened to the hull unit. Remove it when mounting the receiver unit.





Figure 3-9 Mounting of receiver unit

3.2 Mounting the Display Unit/Sub-display Unit

The display unit/sub-display unit is designed for tabletop mounting. When selecting a mounting location consider the following conditions:

- Place where operating personnel are able to control the unit easily while observing the fishing ground or the area surrounding the vessel.
- Place at least 1 m away from a magnetic compass and components which have a magnet (radar magnetron, loudspeaker, high power transformer, etc.)
- Place not exposed to direct sunlight, water splashes or hot air.
- Place where maintenance and ventilation clearance shown in the outline drawings is ensured.
- Place where the CRT face is within $\pm 45^\circ$ from vertical.



Mounting the display unit/sub-display unit

1. Remove the mounting base by unscrewing the two bolts at the front bottom.
2. Fix the mounting base to the table with four M10 bolts, flat washers, spring washers and nuts. It is recommended that a rubber mat be placed under the mounting base to absorb vibration.
3. Fasten the unit to the mounting base with two bolts. When the space around the unit is limited, make wirings to the display unit first and then fasten the unit.

Note: For the CSH-24, remove eye bolts at the top of the display unit and set cosmetic screws (supplied with installation materials) to eye bolt holes.




Figure 3-10 Mounting the display unit, sub-display unit

3.3 Mounting the Transmitter Unit

The transmitter unit can be mounted with or without mounting legs. For use without mounting legs remove them and use inside mounting holes.

The transmitter unit should be reinforced against vibration by stays extending from the eyebolts on the top of the unit.




Figure 3-11 Transmitter unit

3.4 Mounting the Interface Unit

Since the interface unit connects with several navigation and fishing equipment, determine the installation site with the wirings to them taken into account. Furthermore, the unit incorporates a data selector and self-check switch, so select a place where they can be easily operated.

3.5 Mounting the FNZ Joint Box

The FNZ joint box is used for interchanging both TX trigger and sonde marker pulses from the echo sounder and the net sonde, therefore it should be installed as close as possible to the net-sonde indicator.

3.6 Grounding the Equipment

Ground all equipment with a suitable copper strap or ground wire. The location of the ground terminal of each unit is shown below.




Figure 3-12 Location of ground terminals on equipment

4. WIRING

4.1 Cable Configuration

Wire Symbol	Name
○	Vinyl Sheath Wire
◉	Shielded Wire
⊖	Twisted Pair Wire




Figure 4-1 Cable configuration

4.2 How to Use the Crimping Tool, Pin Extractor

A special crimping tool is necessary for connection of wires to the contact pins of the 38P connector. The pin extractor removes the contact pin from the connector body. This paragraph describes how to crimp and extract the contact pin.



Figure 4-2a Crimping tool, contact pin, pin extractor

How to use the crimping tool




Figure 4-2b

How to use the pin extractor

If a contact pin is inserted into an incorrect hole on the connector body, remove it with the pin extractor.

1. Push the pin extractor into the pin hole from the side opposite to the pin inserting side.
2. Push in the head of the pin extractor. The retaining spring comes free and the contact pin can be removed.




Figure 4-2c

4.3 Location of Connectors





Figure 4-3 Location of connectors

4.4 Fabricating Cables, Assembling Connectors

Fabricating cable 00-8016-038-313-761HV (CN-A1, CN-A5 and J201)



L = 250 (CN-A1)
320 (CN-A5)
170 (J201)




Figure 4-4 Fabricating cable 00-8016-038-313-761HV

Assembling 38P connector

Shorten the unused wires appropriately and treat their ends with vinyl tape to prevent short circuit.




Figure 4-5 Assembling 38P connector

Positioning guide pins

Guide pins of the connector identify the mating receptacle. Position them as shown below.

Table 4-1 Guide pins and connectors CN-A1, CN-A5, J201

Connector	CN- A1	CN- A5	J201	Positioning Tool
Guide Pin				 Type : 10- 910- 0179- 0
Guide Pin A (Large)	1	5	1	
Guide Pin B (Small)	1	1	1	

Clamping the cable

Clamp the cable where the shield is folded back onto the armor.




Figure 4-6 Clamping the cable

Assembling connector NSC-253P (CN-A15)




Figure 4-7 Assembling connector NSC-253P

Assembling BNC connector (CN-A7, CN-A8, CN-A9, CN-A10, CN-A11 and CN-A12)

1. Remove vinyl sheath of the cable by 15 mm.
2. Pass the cable through the nut, washer, gasket and clamp.
3. Unravel the shield and fold it back onto the clamp.
4. Remove the insulator, leaving 3 mm.
5. Trim the shield as shown in the drawing. Solder the center chip to the conductor of the cable.
6. Pass the cable through the housing and tighten the nut.




Figure 4-8 Assembling BNC connector

Fabricating cable 54-038-000-601/SC (CN-E1)




Figure 4-9 Fabricating cable 54-038-000-601/SC

Assembling 38P connector

1. Bundle the unused wires outside the connector case.
2. Fix the cover ①, taking heed of the cable outgoing direction.
3. Dress the wires and fix the cover ② and ③. Use a fragment of cable sheath to secure the wires at the connector clamp.
4. Shorten unused wires appropriately and treat their ends with vinyl tape to prevent short circuit.





Figure 4-10 Assembling 38P connector

Positioning guide pins

Guide pins of the connector are used to identify the mating receptacle. Position them shown below.

Table 4-2 Guide pins and connector CN-E1

Connector	CN- E1	Positioning Tool
Guide Pin		 Type : 10- 910- 0179- 0
Guide Pin A (Large)	2	
Guide Pin B (Small)	1	

Clamping the cable (side at power supply unit)

Clamp the cable as shown in below.




Figure 4-11

Fabricating cable 10S1259 (connected terminal board TB-E1)




Figure 4-12 Fabricating cable 10S1259

Fabricating cable DPYCY-3.5 (connected to terminal board TB-E1)




Figure 4-13 Fabricating cable DPYCY-3.5

Fabricating cable 54-038-000-601/SC (CN-B2, CN-B3, CN-B4)




Figure 4-14 Fabricating cable 54-038-000-601/SC

Assembling 38P connector

1. Bundle the unused wires outside the connector case.
2. Fix the cover ①, taking heed of the cable outgoing direction.
3. Dress the wires and fix the cover ② and ③. Use a fragment of cable sheath to secure the wires at the connector clamp.
4. Shorten unused wires appropriately and treat their ends with vinyl tape to prevent short circuit.





Figure 4-15 Assembling 38P connector

Positioning guide pins

Guide pins of the connector identify the mating receptacle. Position them as shown below.

Table 4-3 guide pins and connectors CN-B2, CN-B3, CN-B4

Connector	CN- B2	CN- B3	CN- B4	Positioning Tool
Guide Pin				 Type : 10- 910- 0179- 0
Guide Pin A (Large)	1	1	3	
Guide Pin B (Small)	1	1	1	

Clamping the cable

Secure the cable with the cable clamp.




Figure 4-16 Clamping the cable

Fabricating cable 10S1259 (connected to terminal board TB-B1)




Figure 4-17 Fabricating cable 10S1259

Fabricating cable 54-038-000-601/SC (CN-C2, CN-C3 and CN-C5), 00-8016-020-313-703V (CN-C4)




Figure 4-18 Fabricating cable 54-038-000-601/SC, 00-8016-020-000-703V

Assembling 38P connector

- 1. Bundle the unused wires outside the connector case.
- 2. Fix the cover ①, taking heed of the cable outgoing direction.
- 3. Dress the wires and fix the cover ② and ③. Use a fragment of cable sheath to secure the wires at the connector clamp.
- 4. Shorten unused wires appropriately and treat their ends with vinyl tape to prevent short circuit.





Figure 4-19 Assembling 38P connector

Positioning guide pins

Guide pins of the connector identify the mating receptacle. Position them as below.

Table 4-4 Guide pins and connectors CN-C2, CN-C3, CN-C4, CN-C5

Connector	CN - C2	CN - C3	CN - C4	CN - C5	Positioning Tool
Guide Pin					 Type : 10-910-0179-0
Guide Pin A (Large)	1	2	1	3	
Guide Pin B (Small)	1	1	1	1	

Clamping the cable

Clamp the anticorrosive sheath of the cable.




Figure 4-20 Clamping the cable

Fabricating cable connected to terminal board TB-D1 in Raise/Lower Control Box




Figure 4-21 Fabricating cable connected to terminal board TB-D1 in Raise/Lower Control Box

Fabricating cable 10S1259 (connected to terminal board TB-D2 in Raise/Lower Control Box)




Figure 4-22 Fabricating cable 10S1259

4.5 Connection of Transducer Cables

The transducer cables are supplied with connectors. Plug them into the receptacles in the receiver unit, referring to the stickers on the cables.






Figure 4-23 Receiver unit, rear view

Lead the cable into the receiver unit and clamp it as follows.



1. Use the connector puller (supplied) to unplug connectors.



2. When one or some of the lead wires are severed near a connector, cut off all lead wires connected to the connector and solder the "XH connector assembly" (type 10-145 (13P), supplied as spare parts).

4.6 Connection of Interface Unit CS-120A

With connection of navigator, the Interface Unit CS-120A and electronic fishing equipment, the function of the CSH-23/24 series is expanded to include true motion presentation, target lock, echo sounder picture, FNZ marker presentation and digital indication of position, water temperature and depth. This chapter provides the information for interfacing the CSH-23/24 series with external equipment.

Connections for true motion and target lock

Heading (digital) and speed (200 pulses/nm) data are required to provide the true motion and target lock functions. Both data are fed to the display unit via Interface Unit CS-120A.

Basically, there are two methods to feed the data:

- Heading data is fed to J205 from A/D Converter AD-100 and the speed data to J206 from the electromagnetic speed log.
- Both heading and speed data are fed to J207 from the CIF line of the CI-30/50/60.

Select one of the methods depending on the equipment installed. When both methods are available, it is recommended to connect both and select one by the DIP switch inside the CS-120A.




Figure 4-24 Connection of external equipment to Interface Unit CS-120A

Note 1: AD-100 outputs two types of data. Do not use data for radars (25 ms interval).

Note 2: 200 pulses/mile ship's speed data can be taken from a doppler sonar current indicator.

Connections for ES picture and FNZ markers

To provide echo sounder picture and FNZ markers, connect echo sounder to J203 and net sonde to J202. The signals applied to J202 and J203 are

J202: Net sonde signal and trigger signal (keying pulse of echo sounder). A white line signal from an echo sounder may be additionally applied as described on the next page if the digital depth data is not available on J204.

J203: Echo signal and keying pulse from an echo sounder.

Connection 1: Displaying echo sounder picture




Figure 4-25 Connections for displaying ES picture

Connection 2: Displaying echo sounder picture and FNZ markers by one echo sounder

This method is used when the net sonde is installed and both echo sounder and net sonde signals are taken from the same echo sounder. The net sonde signal is applied to both J202 and J203.




Figure 4-26 Connections for displaying echo sounder picture and FNZ marker by one echo sounder

Connection 3: Displaying echo sounder picture and FNZ markers by separate echo sounders




Figure 4-27 Connections for displaying echo sounder picture and FNZ markers by separate echo sounders

Connections for digital indication of position, water temperature and depth

The data for these readouts are taken from the equipment shown in the table below and input to J204. When data from multiple equipment are input, use Hybrid Interface IF-5000 to feed the data serially.

Table 4-5 Data and source

Data	Data Source
Position	Loran C navigator, Sat-Nav, GPS navigator
Water Temperature	Temperature Indicator T-2000/TI-20, nav equipment connected to temperature sensor
Depth	Color video sounder, Echo Sounder FE-822

Note: When a color video sounder which has digital depth data output is not available, the white line signal of a paper recording echo sounder can be used to provide digital depth readout.

Connect the echo sounder as shown below or as shown in connection 2 or 3 in paragraph 5.2 and operate the echo sounder front panel controls so that the white line is effected on the seabed contour.




Figure 4-28 How to output white line signal of paper recording echo sounder

Wiring

Connect referring to the Interconnection Diagram at the back of this manual.

Wire Symbol	Meaning
○	Vinyl sheath wire
⊙	Shielded wire
∞	Twisted pair wire

02S8040

Shield

9mm

No.	Color
1	WHT/BLK
2	BLK
3	PNK
4	GRN
5	ORG
6	YEL
7	RED

CO-SPEVV-SB-C 0.2 sq. 5P

Shield

Armor

14mm

No.	Color
1	YEL/BLK
2	YEL/WHT
3	YEL/RED
4	YEL/BLU
5	YEL/GRN

Figure 4-29 Configuration of cables 02S8040, CO-SPEVV-SB-C 0.2 sq. 5P

Fabrication, assembling 10P and 7P connectors




Figure 4-30 Fabrication of 10P, 7P connectors

4.7 Connection of Sub-display Unit CSH-236/236F (Option)

The Sub-Display Unit CSH-236/236F is the same as the Display Unit CSH-230/230F in terms of outline dimension and control panel layout. It controls the sonar at a place remote from the display unit while observing picture on the screen. One sub-display unit can be connected to three display units.

Note: The Sub-Display Unit can be connected to CSH-23/23F only.


Connections

Refer to the interconnection diagram at the end of this manual.

Note: One sub-display unit can be connected to three sonars, but different models cannot be connected.

DIP switch setting

Set DIP switch S1 on the RDCB Board (10P6724) in the sub-display unit as follows:



SW No.	Used for	Function
1 2 3	Display unit on CH-1 Display unit on CH-2 Display unit on CH-3	ON: Turning on sub-display unit automatically turns on display unit. (Don't set OFF because the system doesn't work.)
4 5 6	Display unit on CH-1 Display unit on CH-2 Display unit on CH-3	ON: Turning on display unit automatically turns on sub-display unit. OFF: Sub-display unit is not turned on when display unit is turned on.
7	Not used.	Used in remote display unit. Set to ON in sub-display unit.
8	Not used.	

Figure 4-31 DIP switch setting on RDCB board in the sub-display unit

Note: To have both the display unit and sub-display unit turned on when either unit is turned on, turn on SW #1 and #4.

4.8 Connection of Remote Display Unit CSH-106 (Option)

The remote display unit can be connected to three display units, and one of them is selected on the remote display unit. Operating controls provided on the remote display unit are power on/off switch, brilliance control and channel selector, which selects one of the three display units.

Note: The remote-Display Unit can be connected to CSH-23/23F only.


Connections

For connection of both display and remote display units, refer to interconnection diagram at the end of this manual.

Note: The display unit has two ports: one for sub-display unit and the other for remote display unit. When the remote-display unit is not used, both ports can be connected to remote display units.

DIP switch setting

Set DIP switch S1 on the RDCB board 10P6724 in the remote display unit.



SW No.	Used for	Description
1 2 3	Display unit on CH-1 Display unit on CH-2 Display unit on CH-3	Not used
4 5 6	Display unit on CH-1 Display unit on CH-2 Display unit on CH-3	Turn ON when display unit is connected and OFF when there is no display unit.
7	Remote ON/OFF.	ON: Remote on/off of remote display unit from display unit. When one of all of the connected display units is turned on/off, remote display unit turns on/off. OFF: Remote display is turned on/off by its ON/OFF switch. <i>Note: The remote display can not be turned on unless display unit is on.</i>
8	Not used.	

Figure 4-32 DIP switch setting on the RDCB board

4.9 Synchronizing Transmission with Other Sonars, Echo Sounders

To synchronize the transmission of the CSH-23/24 series sonars to that of other sonars or echo sounders, wire units as follows.

Connections

a) For Current driven KP

b) For voltage driven KP




Figure 4-33 Connections for synchronizing transmission with echo sounder having current driven KP, voltage driven KP

Note: To output KP to other sonar or echo sounder, wire units as follows.

a) Current driven KP output

b) Voltage driven KP output




Figure 4-34 Connections for outputting KP to other sonar or echo sounder

Menu setting

Set polarity of the KP on the INIT SET/TEST menu. Set transmission cycle to 0 on data setting window. Refer to the operator's manual for operation on the menu.

4.10 Interlocking Operation with Other Sonar

Functions (range, tilt, fish mark, etc.) and remote control may be mutually interlocked with those on other sonars (CSH-23/24/73/83/84). For example, if the range is interlocked, changing the range in one sonar automatically sets the other sonar to the same range. The functions to be interlocked can be selected on the SYSTEM menu. See the operator's manual for further details.

Connections for interlocking functions

Two sonars




Figure 4-35 connections for interlocking function of two sonars

Three sonars




Figure 4-36 Connections for interlocking functions of three sonars

DIP switch setting

Set ID code on DIP switch #1 to #3 on main panel. Any code is acceptable, provided that it is not the same as that set on the other sonar.

Connections for interlocking remote control

To control multiple display units by one remote control box, wire units as follows.





Figure 4-37 Connections for interlocking remote control


5. CHANGING POWER SPECIFICATIONS

The display unit is set at the factory for connection to a ship's mains of 110 VAC or 220 VAC. To power it by 100 VAC or 220 VAC, use step-down transformer PT-400, change the transformer taps on the power supply unit as below and connect the ship's mains directly.




The power supply unit has been set for 100 VAC when delivered.


F Photo No.2017



For 100VAC Ship's Mains



For 110VAC Ship's Mains



For 220VAC Ship's Mains

Figure 5-1 Tap connections on the transformer in the power unit

6. ADJUSTMENT AND CHECK

6.1 Hull Unit Check

1. Press the ON switch to turn on the equipment. Confirm that the lamps above the ON and ↑ switches light.
2. Confirm that the 5V and UP lamps on the raise/lower control box are lit.
3. Remove the cover of the raise/lower control box and check the following voltages:

Terminal	Terminal No.	Voltage
TB-D1	⑦ – ⑧	+12 V
TB-D2	① – ②	180 VAC
	② – ③	180 VAC
	① – ③	360 VAC

4. In the raise/lower control box, turn the TEST/NORMAL switch to TEST. Press the ↓ switch to confirm that the transducer lowers. Also, while the transducer is being lowered, check that the MD LED lights when the MD L. SW kicks. Note that the MD L. SW does not stop the transducer when the TEST/NORMAL switch is in the TEST position.
5. Press and release the ↓ switch. Confirm that the transducer stops at the moment the switch is released.
6. Press the ↓ switch again. Confirm that the transducer stops at the moment the lower limit switch kicks.
7. Confirm that the ↑ switch operates in a similar manner.
8. Check that LEDs on the panel of the raise/lower control box light as follows:
 - 1) UP, MD and DN LEDs light when corresponding limit switch kicks.
 - 2) UP and DOWN LEDs light while UP and DOWN switches are pressed and extinguish when switches are released.
9. Set the TEST/NORMAL switch to NORMAL.
10. At the display unit, press the ↓ (mid position) switch. Confirm that the lamp above the switch blinks while the transducer is being lowered, a short beep sounds when the mid limit switch kicks, and the lamp lights when the transducer is fully lowered.
11. Press the ↓ switch. Confirm that the lamp above the switch blinks while the transducer is being lowered, a short beep sounds when the mid limit switch kicks, and the lamp lights when the transducer is fully lowered.




Figure 6-1 Display unit front panel




Figure 6-2 Raise/Lower control box

- 12. Press the **↑** switch. Confirm that the lamp above the switch blinks while the transducer is being raised, a short beep sounds when the mid limit switch kicks, and the lamp lights when the transducer is fully raised.
- 13. Press the OFF switch. Confirm that the transducer is completely retracted and then the power is turned off.
- 14. With the transducer lowered, confirm that the transducer is raised when **↑** or OFF is pressed.

6.2 Heading Adjustment

When the BOW mark on the flange of the hull unit cannot be directed toward ship's bow adjust the heading so an echo which is dead ahead appears dead ahead on the display.

- 1. Locate a target in the bow direction (buoy, for example) and display it on a near range. If the target appears at 12 o'clock the heading alignment is correct. If it does not go to step 2.




Figure 6-3 Heading adjustment

- 2. Turn on the power while pressing and holding down the MENU key. The INIT SET/TEST menu appears.




Figure 6-4 INIT SET/TEST menu

- 3. Select HEADING ADJ.




Figure 6-5 HEADING ADJ menu

4. Enter heading correction with ◀ or ▶, referring to the table below for guidance.

Target Location	Correction Setting
Target displaced 30° to port	Set to 30° .
Target displaced 30° to starboard	Set to 330° .

6.3 DIP Switch Setting in the Display Unit

Set the DIP switch on the display unit, referring to the table shown below.

1. Remove six screws from the main panel.
2. Unplug four connectors.
3. Set DIP switch.
4. Reassemble display unit.




Figure 6-6 How to remove main panel from display unit

PIF Board (10P6713)

Item	SW No.	Setting				
ID Code for Interlock Function	1	Set ID code for interlock operation of CSH-21/71/81/82/53/23/73/83 sonar. Any code is acceptable unless it is used in other interlocked sonars.				
	2					
	3					
Unit Code	4	OFF	ON	ON	OFF	ON
	5	OFF	OFF	ON	OFF	ON
	6	OFF	OFF	OFF	ON	ON
	Unit	CSH-58 (28 kHz) CSH-53 (28 kHz)	CSH-53 (55 kHz)	CSH-23/24	CSH-73/83/84	CSH-23F/23FL/ 24F/24FL
EEPROM Check	7	ON	Check OFF	OFF	Check ON	
Stand Alone	8	For factory use. Set to ON always.				

PND Board (10P6714)

Item	SW No.	Setting	
Display unit setting	3	OFF	For 21" CRT display unit (CSH-24/24F/24FL/84)
		ON	For 15" CRT display unit (CSH-23F/23FL/24F/24FL)

6.4 Setting and Adjustment of the Interface Unit CS-120A

DIP switch setting

Navigation data and fishing data input from external equipment can be turned on or off by DIP switch DP-1 in the Interface Unit CS-120A.

DP-2

Standard Setting

DP-1

→ **Own ship's speed and bearing (for course line plotting, true motion, target lock, etc.)**

Input Device	S1	S2
Gyrocompass, Speed log	OFF	OFF
GPS or DR (NOTE 1)	ON	OFF
Current Indicator	OFF	ON
DR or Current Ind. (NOTE 2)	ON	ON

Select navigation device which feeds navigation data for drawing ship's track by S1 and S2.

NOTE 1: GPS has priority. Switched automatically from GPS to DR when GPS is absent for more than 61 seconds or ship's speed measured with GPS is 0.2 kts or less.

If DR is not available when switched from GPS to DR, heading readout is fixed at 9 degrees and ship's track is plotted by using the last GPS data obtained before switching to DR. If you still require speed/heading data from GPS even though ship's speed is less than 0.2 kt, set the GPS format to DR. Note however that the heading direction becomes erratic if the ship's speed is less than 0.2 kts.

NOTE 2: Use this setting when both DR and current indicator are available. Normally DR data has highest priority, and is switched to current indicator data if the DR data is absent for more than 61 seconds. The heading data for the bearing scale is always provided from the current indicator. When DR data is taken from GPS be sure to set GPS output format to "DR." GPS with no "DR" output format cannot be used.

→ **Own ship's position (L/L or TD)**

Input Device	S3	S4
Loran C	OFF	OFF
GPS or DR (See NOTE)	ON	OFF

NOTE: Use this position for GPS or DR. The GPS data has priority.

→ **Depth (Echo Sounder, Color Video Sounder, etc.)**

Input Device	S5
Echo Sounder (NOTE 1)	OFF
CIF format (NOTE 2)	ON

NOTE 1: Use this position for white line pulse when the depth data is taken from an echo sounder which has no digital depth output.

NOTE 2: Use this position when the depth data is taken from an echo sounder with digital data output (FE-822, FCV, ED-202) or IF-3000/IF-5000.

Interface unit adjustment

If the E/S picture on the screen does not have the desired coloration, perform the adjustment as follows with the preset potentiometers on the I/O board in the interface unit.





Figure 6-7 I/O board

S02 Mode: Selects the signal mode (AC or DC) according to the combined echo sounder connected.




S01 FNZ Marker: The FNZ marker is plotted on the echo sounder picture with this switch turned on. Factory setting is the “ON” position.



Adjustment of signal level (R36, R56)

Prior to adjustment, verify that the output level of the E/S interface (VI-1100A) satisfies the following ratings.

1) For AC INPUT



2) For DC INPUT




Figure 6-8 AC/DC input signal

If not, adjust the potentiometers in the VI-1100A referring to the installation manual for FCV series. S02 is usually set to the “AC” position at the factory.

Procedure

(A) Set the MODE switch to “E/S”.

(B) Turn the E/S gain and E/S offset potentiometers (R56 and R36) so that the color gradation of the E/S picture on the screen appears similar to the intensity gradation of the combined E/S echogram.

Case (A) The E/S picture on the CSH-23/24 series is comparatively higher in sensitivity than that of the paper echogram.

Remedy: Turn E/S offset potentiometer so that weak signals painted in blue or light blue are displayed in deep blue.

Case (B) The E/S picture on the CSH-23/24 series is comparatively lower in sensitivity than that of the paper echogram.

Remedy: Turn the E/S gain potentiometer CW until a picture of even quality is obtained.

Adjustment of white line inhibit time (R27)

In case digital depth data is not combined with the CS-120A, the white line signal from the echo sounder is used for depth information.

Potentiometer R27 cancels the white line pulse for about 10 ms after transmission to avoid false depth indication caused by unwanted noise in short ranges.

Readjustment of potentiometer R27 is not required as long as CSH-23/24 series indicates the correct depth. If does not, however turn R27 CW about 90 degrees.

Adjustment of white line output level (R55)









Improper setting of potentiometer R55 causes the seabed line to be painted in deep blue due to the white line pulse. Adjust it so that the seabed is painted in reddish brown.

This page is intentionally left blank.



FURUNO

CODE NO.	000-068-909	10BW-X-9301 -5
TYPE	SP10-01700	BOX NO. P

SHIP NO.		SPARE PARTS LIST FOR		U S E			SETS PER VESSEL	
		ガラスキャノンソナー COLOR SCANNING SONAR		CSH-21・K/22/23・K/251W/261W 271W/281W/281S/288W/24				
ITEM NO.	NAME OF PART	OUTLINE	DWG. NO. OR TYPE NO.	QUANTITY			REMARKS/CODE NO.	
				WORKING		SPARE		
				PER SET	PER VES			
1	管入りヒューズ FUSE		FGB01 30A AC250V	1		2	指示装置用 FOR DISPLAY UNIT 000-549-086	
2	ヒューズ FUSE		FGMA 3A 125V(UL)	1		2	指示装置用 FOR DISPLAY UNIT 000-111-848	
3	ヒューズ FUSE		FGMA 1A AC125V	1		2	指示装置用 FOR DISPLAY UNIT 000-126-840	
4	ヒューズ FUSE		FGMA 2A AC125V	2		4	指示装置用 FOR DISPLAY UNIT 000-126-841	
5	ヒューズ FUSE		FGA0 10A AC125V	1		5	指示装置用 FOR DISPLAY UNIT 000-126-852	
6	XHコネクタ組品 XH CONNECTOR ASSY.		10-145(13P)	1		1	受信装置用 FOR RECEIVER UNIT 006-947-380	
7	コネクタ抜き工具 CONNECTOR PULLER		10-026-6901-0			1	受信装置用 FOR RECEIVER UNIT 100-008-460	
8	ヒューズ FUSE		FGBO-A 2A AC125V	16		20	送振装置用 FOR TRANSMITTER UNIT 000-549-062	
MFR'S NAME		FURUNO ELECTRIC CO., LTD			DWG NO.		1/1	









MFR'S NAME	FURUNO ELECTRIC CO., LTD	DWG NO.	1/1
------------	--------------------------	---------	-----

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

C1286-P01- F

FURUNO

CODE NO.	000-068-910	10BW-X-9302 -4
TYPE	SP10-01800	BOX NO. P











SHIP NO.		SPARE PARTS LIST FOR		U S E			SETS PER VESSEL
		CSH-21F・22F 23F・24F/FL カラー・スキャニング・ソナー COLOR SCANNING SONAR					
ITEM NO.	NAME OF PART	OUTLINE	DWG. NO. OR TYPE NO.	QUANTITY		REMARKS/CODE NO.	
				WORKING			
				PER SET	PER VES		SPARE
1	ヒューズ FUSE		FGMA 3A 125V(UL)	1		指示装置用 FOR DISPLAY UNIT 000-111-848	
2	ヒューズ FUSE		FGMA 1A AC125V	1		指示装置用 FOR DISPLAY UNIT 000-126-840	
3	ヒューズ FUSE		FGMA 2A AC125V	2		指示装置用 FOR DISPLAY UNIT 000-126-841	
4	ヒューズ FUSE		FGAO 10A AC125V	1		指示装置用 FOR DISPLAY UNIT 000-126-852	
5	管入りヒューズ FUSE		FGB01 30A AC250V	1		指示装置用 FOR DISPLAY UNIT 000-549-086	
6	XHコネクタ組品 XH CONNECTOR ASSY.		10-145(13P)	1		受信装置用 FOR RECEIVER UNIT 006-947-380	
7	コネクタ抜き工具 CONNECTOR PULLER		10-026-6901-0		1	受信装置用 FOR RECEIVER UNIT 100-008-460	
8	ヒューズ FUSE		FGB0 5A AC250V	16		送振装置用 FOR TRANSMITTER 000-549-022	
MFR'S NAME		FURUNO ELECTRIC CO., LTD		DWG NO.		1/1	

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

C1287-P01- E

FURUNO

CODE NO.	006-989-010	10BW-X-9401 -5
TYPE	CP10-02710	1/4

工事材料表 INSTALLATION MATERIALS		CSH-21・K・F/22・F 23・K・F/251W/261W 271W/281W/281S/288W カラースキニングソナー COLOR SCANNING SONAR			
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
1	7-ス線組品 GROUNDING WIRE		CS-120-C CODE NO. 006-937-990	1	外部インターフェース工材 FOR INTERFACE UNIT
2	コネクタ CONNECTOR		RM15TP-2PA CODE NO. 000-503-314	1	外部インターフェース工材 FOR INTERFACE UNIT
3	コネクタ CONNECTOR		SRCN6A16-10P CODE NO. 000-508-663	4	外部インターフェース工材 FOR INTERFACE UNIT
4	コネクタ CONNECTOR		54-038-000-601/SC CODE NO. 000-132-081	1	外部インターフェース工材 FOR INTERFACE UNIT
5	コネクタ CONNECTOR		SRCN6A16-7P CODE NO. 000-508-662	1	外部インターフェース工材 FOR INTERFACE UNIT
6	コンタクト CONTACT PIN		60-8017-0313-00-339 CODE NO. 000-519-542	38	外部インターフェース工材 FOR INTERFACE UNIT
7	貼りマーク J201. STICKER. J201.		10-018-5022 CODE NO. 181-850-220	1	外部インターフェース工材 FOR INTERFACE UNIT
8	コネクタ CONNECTOR		00-8016-038-313761HV CODE NO. 000-127-234	1	外部インターフェース工材 FOR INTERFACE UNIT
9	コネクタ CONNECTOR		NCS-252-P CODE NO. 000-506-501	1	指示装置工材 FOR DISPLAY UNIT
10	コネクタ CONNECTOR		00-8016-038-313761HV CODE NO. 000-127-234	1	指示装置工材 FOR DISPLAY UNIT

C1286-M01- G

FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

FURUNO

CODE NO.	006-989-010
TYPE	CP10-02710

108W-X-9401 -5

2/4











工事材料表

CSH-21・K・F/22・F
23・K・F/251W/261W
271W/281W/281S/288W

カラーキャニングソナー

COLOR SCANNING SONAR

INSTALLATION MATERIALS











番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
11	クーラーハテ COOLER PUTTY		200G付 シロロ CODE NO. 000-807-621	2	指示装置工材 FOR DISPLAY UNIT
12	イラックスチューブ (A) INSULATION TUBE		4.0X0.3 ｷｲロ ｷ5CMｷ CODE NO. 000-100-923	1	指示装置工材 FOR DISPLAY UNIT
13	アース板 COPPER STRAP		WEA-1004-0 CODE NO. 500-310-040	1	指示装置工材 FOR DISPLAY UNIT
14	コネクタ CONNECTOR		NCS-253-P CODE NO. 000-506-503	1	指示装置工材 FOR DISPLAY UNIT
15	コネクタ CONNECTOR		54-038-000-601/SC CODE NO. 000-132-081	3	受信装置工材 FOR RECEIVER UNIT
16	アース板 COPPER STRAP		WEA-1004-0 CODE NO. 500-310-040	1	受信装置工材 FOR RECEIVER UNIT
17	コンタクト CONTACT PIN		60-8017-0313-00-339 CODE NO. 000-519-542	114	受信装置工材 FOR RECEIVER UNIT
18	ﾐｶｷ平座金 FLAT WASHER		M10 SS41 MFZN2-B CODE NO. 000-864-191	2	受信装置工材 FOR RECEIVER UNIT
19	ｼｰﾙﾄﾞｽﾘｰﾌﾞ SHIELD SLEEVE		ZS-06H ｷ0.055Mｷ CODE NO. 000-807-634	20	受信装置工材 FOR RECEIVER UNIT
20	コネクタ CONNECTOR		00-8016-020-313-703V CODE NO. 000-111-143	1	受信装置工材 FOR RECEIVER UNIT

C1257-M02- C
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-989-010	10BW-X-9401 -5
TYPE	CP10-02710	3/4










工事材料表 INSTALLATION MATERIALS		CSH-21・K・F/22・F 23・K・F/251W/261W 271W/281W/281S/288W カラーレーシングソナー COLOR SCANNING SONAR			
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
21	アイボルト EYE-BOLT		M10 SS41 MFZ12 CODE NO. 000-862-506	2	受信装置工材 FOR RECEIVER UNIT
22	P貼りマーク 11. P STICKER 11.		10-026-0619-0 CODE NO. 100-014-880	1	受信装置工材 FOR RECEIVER UNIT
23	圧着端子 CRIMP-ON LUG		FV5. 5-4 CODE NO. 000-538-123	5	上下装置工材 FOR HULL UNIT
24	圧着端子 CRIMP-ON LUG		FV1. 25-3. 7 7h CODE NO. 000-108-699	15	上下装置工材 FOR HULL UNIT
25	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7h CODE NO. 000-536-715	5	上下装置工材 FOR HULL UNIT
26	7-ス板 COPPER STRAP		WEA-1004-0 CODE NO. 500-310-040	1	送振装置工材 FOR TRANSMITTER UNIT
27	圧着端子 CRIMP-ON LUG		FV5. 5-4 CODE NO. 000-538-123	5	送振装置工材 FOR TRANSMITTER UNIT
28	コネクタ CONNECTOR		54-038-000-601/SC CODE NO. 000-132-081	3	送振装置工材 FOR TRANSMITTER UNIT
29	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7h CODE NO. 000-536-715	5	送振装置工材 FOR TRANSMITTER UNIT
30	コンタクト CONTACT PIN		60-8017-0313-00-339 CODE NO. 000-519-542	120	送振装置工材 FOR TRANSMITTER UNIT

C1257-M03- C
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO


CODE NO.	006-989-010	10BW-X-9401 -5
TYPE	CP10-02710	4/4

工事材料表 INSTALLATION MATERIALS		CSH-21・K・F/22・F 23・K・F/251W/261W 271W/281W/281S/288W カラーキャニオンナー COLOR SCANNING SONAR			
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
31	貼りマーク STICKER		10-026-5002-0	1	送振装置工材 FOR TRANSMITTER UNIT
			CODE NO. 100-004-870		
32	ホーリング HOLE PLUG		NO. 4567	4	送振装置工材 FOR TRANSMITTER UNIT
			CODE NO. 000-800-729		
33	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7カ	6	電源装置工材 FOR POWER UNIT
			CODE NO. 000-536-715		
34	ホーリング HOLE PLUG		NO. 4567	4	電源装置工材 FOR POWER UNIT
			CODE NO. 000-800-729		
35	コンタクト CONTACT PIN		60-8017-0313-00-339	38	電源装置工材 FOR POWER UNIT
			CODE NO. 000-519-542		
36	コネクタ CONNECTOR		54-038-000-601/SC	1	電源装置工材 FOR POWER UNIT
			CODE NO. 000-132-081		
37	銅板 COPPER STRAP		WEA-1004-0	1	電源装置工材 FOR POWER UNIT
			CODE NO. 500-310-040		
38	貼りマーク. 1. STICKER. 1.		10-026-7018-0	1	電源装置工材 FOR POWER UNIT
			CODE NO. 100-008-630		
39	圧着端子 CRIMP-ON LUG		FV5. 5-4	15	電源装置工材 FOR POWER UNIT
			CODE NO. 000-538-123		

C1257-M04- C
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

		CODE NO.		10BW-X-9405 -3		
		TYPE				
工事材料表		CSH-21/K/F・22/F 23/F/FL/K・24/F/FL 53・55・80・81・82・83 84・88・288W		カラースキニングソナー COLOR SCANNING SONAR		
INSTALLATION MATERIALS				1/1		
番 号 NO.	名 称 NAME	略 図 OUTLINE	型名／規格 DESCRIPTIONS		数量 Q' TY	用途／備考 REMARKS
1	6ツイストケーブル 6P TWISTED PAIR CABLE	 L=5m	CO-SPEV-SB 0.3X6P		1	
			CODE NO.	000-100-992		













C1286-M05- D

FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-959-800	10CC-X-9401 -0 1/4
TYPE	CP10-03410	











工事材料表 INSTALLATION MATERIALS		CSH-22/22F/24/24F 24FL	カラーキャニオンナー COLOR SCANNING SONAR		
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
1	コネクタ CONTACT PIN		60-8017-0313-00-339 CODE NO. 000-519-542	38	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
2	コネクタ CONNECTOR		SRCN6A16-10P CODE NO. 000-508-663	4	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
3	コネクタ CONNECTOR		SRCN6A16-7P CODE NO. 000-508-662	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
4	コネクタ CONNECTOR		00-8016-038-313761HV CODE NO. 000-127-234	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
5	アース線組品 GROUNDING WIRE		CS-120-C CODE NO. 006-937-990	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
6	貼りマーク J201. STICKER J201.		10-018-5022 CODE NO. 181-850-220	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
7	コネクタ CONNECTOR		RM15TP-2PA CODE NO. 000-503-314	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
8	コネクタ CONNECTOR		54-038-000-601/SC CODE NO. 000-132-081	1	外部インターフェイスユニット用 FOR DATA INTERFACE UNIT
9	アース板 COPPER STRAP		WEA-1004-0 CODE NO. 500-310-040	1	指示装置用 FOR DISPLAY UNIT
10	ラックスチューブ (A) INSULATION TUBE		4.0X0.3 4/φ *5CM* CODE NO. 000-100-923	1	指示装置用 FOR DISPLAY UNIT

C1292-M01- A
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-959-800	10CC-X-9401 -0
TYPE	CP10-03410	2/4

工事材料表 INSTALLATION MATERIALS		CSH-22/22F/24/24F 24FL	カラーキャノンソナー COLOR SCANNING SONAR		
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
11	M8化粧ビス PANEL SCREW		10-054-1144-0 CODE NO. 100-195-970	4	指示装置用 FOR DISPLAY UNIT
12	コネクタ CONNECTOR		NCS-253-P CODE NO. 000-506-503	1	指示装置用 FOR DISPLAY UNIT
13	クーラーパテ COOLER PUTTY		200G シリコーン CODE NO. 000-807-621	2	指示装置用 FOR DISPLAY UNIT
14	コネクタ CONNECTOR		NCS-252-P CODE NO. 000-506-501	1	指示装置用 FOR DISPLAY UNIT
15	コネクタ CONNECTOR		00-8016-038-313761HV CODE NO. 000-127-234	1	指示装置用 FOR DISPLAY UNIT
16	コンタクト CONTACT PIN		60-8017-0313-00-339 CODE NO. 000-519-542	114	受信装置用 FOR RECEIVER UNIT
17	シールドスリーブ SHIELD SLEEVE		ZS-06H #0.055M* CODE NO. 000-807-634	20	受信装置用 FOR RECEIVER UNIT
18	P貼りマーク 11. P STICKER 11.		10-026-0619-0 CODE NO. 100-014-880	1	受信装置用 FOR RECEIVER UNIT
19	アイボルト EYE-BOLT		M10 SS41 MFZ12 CODE NO. 000-862-506	2	受信装置用 FOR RECEIVER UNIT
20	コネクタ CONNECTOR		00-8016-020-313-703V CODE NO. 000-111-143	1	受信装置用 FOR RECEIVER UNIT











C1292-M02- A

FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-959-800	10CC-X-9401 -0 3/4
TYPE	CP10-03410	











工事材料表 INSTALLATION MATERIALS		CSH-22/22F/24/24F 24FL	カラーキャニオンナー COLOR SCANNING SONAR		
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
21	平座金 FLAT WASHER		M10 SS41 MFZN2-B	2	受信装置用 FOR RECEIVER UNIT
			CODE NO. 000-864-191		
22	コネクタ CONNECTOR		54-038-000-601/SC	3	受信装置用 FOR RECEIVER UNIT
			CODE NO. 000-132-081		
23	銅板 COPPER STRAP		WEA-1004-0	1	受信装置用 FOR RECEIVER UNIT
			CODE NO. 500-310-040		
24	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7ヶ	5	上下装置用 FOR HULL UNIT
			CODE NO. 000-536-715		
25	圧着端子 CRIMP-ON LUG		FV1. 25-3.7 7ヶ	15	上下装置用 FOR HULL UNIT
			CODE NO. 000-108-699		
26	圧着端子 CRIMP-ON LUG		FV5. 5-4	5	上下装置用 FOR HULL UNIT
			CODE NO. 000-538-123		
27	圧着端子 CRIMP-ON LUG		FV5. 5-4	5	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 000-538-123		
28	銅板 COPPER STRAP		WEA-1004-0	1	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 500-310-040		
29	コンタクト CONTACT PIN		60-8017-0313-00-339	120	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 000-519-542		
30	ホールの栓 HOLE PLUG		NO. 4567	4	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 000-800-729		

C1292-M03- A

FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO





		CODE NO.		006-959-800	10CC-X-9401 -0 4/4
		TYPE		CP10-03410	
工事材料表 INSTALLATION MATERIALS		CSH-22/22F/24/24F 24FL		カラー・スキャニング・ソナー COLOR SCANNING SONAR	
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
31	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7カ	5	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 000-536-715		
32	コネクタ CONNECTOR		54-038-000-601/SC	3	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 000-132-081		
33	貼りマーク STICKER		10-026-5002-0	1	送振装置用 FOR TRANSMITTER UNIT
			CODE NO. 100-004-870		
34	コネクタ CONNECTOR		54-038-000-601/SC	1	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 000-132-081		
35	圧着端子 CRIMP-ON LUG		FV5. 5-4	15	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 000-538-123		
36	ホーリング HOLE PLUG		NO. 4567	4	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 000-800-729		
37	アース板 COPPER STRAP		WEA-1004-0	1	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 500-310-040		
38	圧着端子 CRIMP-ON LUG		FV1. 25-M4 7カ	6	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 000-536-715		
39	貼りマーク 1. STICKER 1.		10-026-7018-0	1	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 100-008-630		
40	コンタクト CONTACT PIN		60-8017-0313-00-339	38	電源装置用 FOR POWER SUPPLY UNIT
			CODE NO. 000-519-542		

C1292-M04- A
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-027-830	10C1-X-9501 -2 1/1
TYPE	FP10-01801	

付属品表 ACCESSORIES					
番 号 NO.	名 称 NAME	略 図 OUTLINE	型名／規格 DESCRIPTIONS	数量 Q' TY	用途／備考 REMARKS
1	フード HOOD		10-062-1601-0	1	
			CODE NO. 100-250-550		
2	フード 取り付け金具 HOOD MOUNTING PLATE		16-062-1602-0	1	
			CODE NO. 100-250-560		
3	フィルターピス FILTER MOUNTING SCREW		66-007-1222-0	1	
			CODE NO. 860-712-220		
4	バインド 小ネジ BINDING HEAD SCREW		M3X6 C2700Wホリシール ロ ナイロンワッシャツキ	4	
			CODE NO. 000-800-582		





DWG NO. C1307-F01- B

FURUNO ELECTRIC CO., LTD.

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

CODE NO.	006-989-020	10BW-X-9505 -1 1/1
TYPE	FP10-01201	

付属品表 ACCESSORIES					
番号 NO.	名称 NAME	略図 OUTLINE	型名／規格 DESCRIPTIONS	数量 Q'TY	用途／備考 REMARKS
1	取手 HANDLE		14-002-1125-2	2	
			CODE NO. 840-211-252		
2	ロゼット座金 ROSETTE WASHER		M6 C2700W ホリシール クロ	4	
			CODE NO. 000-864-910		
3	+丸皿小ネジ OVAL COUNTERSUNK HEAD SCREW		M6X20 C2700W ホリシール クロ	4	
			CODE NO. 000-861-475		
4	波座金 WAVE WASHER		WW-6 SUS	4	
			CODE NO. 000-864-350		

DWG NO.



C1286-F01- F

FURUNO ELECTRIC CO., LTD.

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)


FURUNO

CODE NO.	006-989-040	10BW-X-9504 -1 1/1
TYPE	FP10-01203	

付属品表 ACCESSORIES					
番 号 NO.	名 称 NAME	略 図 OUTLINE	型名／規格 DESCRIPTIONS		数量 Q' TY
1	掛具 HOOK		10-026-8226-1		1
			CODE NO.	100-008-801	
2	ナット SCREW		3X14 SWCH18A MFZN-2-C		2
			CODE NO.	000-800-172	

DWG NO. C1286-F04- B
FURUNO ELECTRIC CO ., LTD.
(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

			CODE NO.		10BW-X-9501 -5
			TYPE		
付属品表 ACCESSORIES			CSH-21/F/K/216/216F, CSH-23/F/K/FL CSH-53, 58 CSH-71, 73 CSH-81, 83		
番 号 NO.	名 称 NAME	略 図 OUTLINE	型名／規格 DESCRIPTIONS		数量 Q' TY
1	ナイロンカバー PLASTIC COVER		10-051-1031		1
			CODE NO.	000-803-289	
			用途／備考 REMARKS		






DWG NO. C1286-F05- B

FURUNO ELECTRIC CO ., LTD.

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)


FURUNO

		CODE NO.		006-908-550	10CM-X-9501 -1 1/1	
		TYPE		FP10-01901		
付属品表 ACCESSORIES		CSH-24/24F/24FL/84 カラーレーシング ソナー COLOR SCANNING SONAR				
番号 NO.	名 称 NAME	略 図 OUTLINE	型名/規格 DESCRIPTIONS		数量 Q' TY	用途/備考 REMARKS
1	+ハ イント 小ネジ BINDING HEAD SCREW		M3X10 C2700W 本 リンネル クロ ナイロワッシュナット		4	
			CODE NO.	000-800-923		
2	フード 取付金具 HOOD FIXTURE		10-064-1602-0		1	
			CODE NO.	100-253-720		
3	フィルターネジ FILTER MOUNTING SCREW		66-007-1222-0		1	
			CODE NO.	860-712-220		

C1310-F01- B
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO


		CODE NO.		10CB-X-9501 -2	
		TYPE		1/1	
付属品表		CSH-288W/88/22/22F 72/82/24/24F/24FL 84		カラー・スキャニング・ソナー COLOR SCANNING SONAR	
ACCESSORIES					
番号 NO.	名称 NAME	略図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q'TY	用途/備考 REMARKS
1	ナイロンカバー PLASTIC COVER		10-054-1021	1	
			CODE NO. 000-804-936		



C1310-F03- A
FURUNO ELECTRIC CO., LTD

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

		CODE NO.		10CP-X-9501 -0	
		TYPE			
付属品表		CSH-23/23F/24/24F/53/58/73/83/84/			
ACCESSORIES					
番 号 NO.	名 称 NAME	略 図 OUTLINE	型名／規格 DESCRIPTIONS	数量 Q' TY	用途／備考 REMARKS
1	RAMカード 組品		OORAM256C-001	1	
	RAM CARD		CODE NO. 004-321-070		




DWG NO. C1307-F02- A

FURUNO ELECTRIC CO., LTD.

(略図の寸法は、参考値です。 DIMENSIONS IN DRAWING FOR REFERENCE ONLY.)

FURUNO

		CODE NO.		10CM-X-9502 -0	
		TYPE		1/1	
付属品表		CSH-24/24F/24FL/84		カラーキャニング ソナー	
ACCESSORIES				COLOR SCANNING SONAR	
番号 NO.	名称 NAME	略 図 OUTLINE	型名/規格 DESCRIPTIONS	数量 Q' TY	用途/備考 REMARKS
1	フード HOOD		10-064-1601-0	1	
			CODE NO. 100-253-710		






表1 TABLE 1


寸法区分(mm) DIMENSION	公差(mm) TOLERANCE
0 < L ≤ 50	±1.5
50 < L ≤ 100	±2.5
100 < L ≤ 500	±3
500 < L ≤ 1000	±4

注記


- 1) #印寸法は最小サービス空間寸法とする
- 2) 指定なき寸法公差は表1による。

NOTE

1. #: RECOMMENDED SERVICE CLEARANCE.
2. TABLE 1 INDICATES TOLERANCE OF DIMENSIONS.



DRAWN Jun 12 '01 LYAMASAKI		TITLE CSH-230/236/530/536/731/736/580/586/830
CHECKED June 12 '01 T. K.		名称 指示装置
APPROVED June 12 '01 S. Y.	CSH-53/73/83/58 CSH-23/F/K	外寸図
SCALE 1/10	MASS 35 ±10% kg	NAME DISPLAY UNIT
DWG.No. C1307-G01- E	10-062-1000-G0	OUTLINE DRAWING



注記
1) *印寸法は最小サービス空間寸法とする。
NOTE
1. *: RECOMMENDED SERVICE CLEARANCE DIMENSION.

DRAWN Jan. 16 '92 DESIGNED Jan 19 '98 K. Kikunok APPROVED Jan 19 '98 SCALE 1/10	CSH-84 CSH-24F CSH-24F CSH-24F	TITLE 名 称 指示装置 外 寸 図 NAME DISPLAY UNIT 10-064-1000-G2	CSH-2400
WORK NO. C1310-G01-A	DATE 1/10	REV. 66	OUTLINE DIAGRAM

表 1 TABLE 1


寸法区分 (mm) DIMENSION	公差 (mm) TOLERANCE
$0 < L \leq 50$	± 1.5
$50 < L \leq 100$	± 2.5
$100 < L \leq 500$	± 3

A

B

C

D




注記

1) 指定なき寸法公差は表 1 による。

NOTE

1. TABLE 1 INDICATES TOLERANCE OF DIMENSIONS.

DRAWN Dec. 26 '00 T. YAMASAKI		TITLE CSH-116/135
CHECKED Dec 27 '00 Y. K.		名称 リモート箱
APPROVED Dec 27 '00 Y. K.	CSH-53/33/73/58 CSH-21/22/23/23F	外寸図
SCALE 1/2	MASS 1.5 kg	NAME REMOTE CONTROL BOX
DWG. No. C1286-G02- D		OUTLINE DRAWING



注記

- ※印は外足取付時の寸法（取外し可）。
- 他の機器や壁との間を前方300mm
その他は100mm以上あけること。

NOTES

- ASTERISK '※' SHOWS OUTSIDE LEG (REMOVABLE) MOUNTING DIMENSIONS.
- MINIMUM MAINTENANCE AND VENTILATION SPACE IS 300 mm ON FRONT SIDE AND 100 mm ON THE OTHER SIDES.

質量 MASS (kg)

CHS-310: 96

CHS-810: 82


DRAWN June 26 '00 T. YAMASAKI		TITLE CSH-310/K, CSH-810
CHECKED June 26 '00 Y. Kuma		名称 送振装置
APPROVED June 26 '00 Y. Kuma		外寸図
SCALE 1/10	MASS kg	NAME TRANSMITTER UNIT
DWG. No. C1257-018- F		OUTLINE DRAWING

A

B

C

D



注記

- ※印は外足取付時の寸法 (取外し可化)。
- 他の機器や壁との間を前方300mm
その他は100mm以上あけること。
- 外足取付の場合は、両側面に取付ネジ
を締め付けるスペースが必要。

NOTE

- ASTERISK '*' SHOWS OUTSIDE
LEG (REMOVABLE) MOUNTING DIMENSIONS.
- MINIMUM MAINTENANCE AND
VENTILATION SPACE IS 300mm
ON FRONT SIDE AND 100mm
ON THE OTHER SIDES.
- FOR OUTSIDE LEG TYPE,
ADDITIONAL SPACE IS REQUIRED
ON RIGHT AND LEFT SIDES
FOR INSTALLTION OF UNIT.

質量 MASS:
100 kg (内足: INSIDE FIXTURE)
110 kg (外足: OUTSIDE FIXTURE)




DRAWN June 26 '00 T.YAC/ASAIC		TITLE GSH-310S/F II
CHECKED June 26 '00 Y. Kim		名称 送振装置
APPROVED June 26 '00 Y. Kim	GSH-20F/20S	外寸図
SCALE 1/1	MASS kg	NAME TRANSMITTER UNIT
DWG. No. G1272-G02- D		OUTLINE DRAWING

A

B


C

D




: 推奨するサービス空間寸法。
#: RECOMMENDED SERVICE CLEARANCE.

DRAWN June 26 '00 T. YAMASAKI		TITLE CSH-380A/B, CSH-380S
CHECKED June 26 '00 T. Kuroki		名称 電源装置
APPROVED June 26 '00 T. Kuroki		外寸図
SCALE 1/10	MASS 56 kg	NAME POWER UNIT
DWG. No. C1257-065- D		OUTLINE DRAWING



DRAWN June 26 '00 T. Yamashita		TITLE CSH-220A/K/F II, CSH-220S
CHECKED June 26 '00 Y. Kimura		名称 受信装置
APPROVED June 26 '00 Y. Kimura	OTHERS CSH-21/22	外寸図
SCALE 1/10	MASS 47 kg	NAME RECEIVER UNIT
DWG. No. C1257-013- F		OUTLINE DRAWING



注記



1) 指定なき寸法公差は表1による。

NOTE

1. TABLE 1 INDICATES TOLERANCE OF DIMENSIONS.

7	エコーレセプタクル RECEPTACLE FOR ECHO SOUNDER	1	
6	ドップラレセプタクル RECEPTACLE FOR DOPPLER SONAR CURRENT INDICATOR	1	
5	航法装置レセプタクル RECEPTACLE FOR NAVIGATION SYSTEM	1	
4	ジャイロレセプタクル RECEPTACLE FOR GYRO COMPASS	1	
3	ネットゾンデレセプタクル RECEPTACLE FOR NET ZONDE	1	
2	ログレセプタクル RECEPTACLE FOR SPEED LOG	1	
1	カラー魚群ディスプレイ指示器レセプタクル RECEPTACLE FOR COLOR SCANNING SONAR DISPLAY	1	
品番 ITEM	品名 NAME	数量 QTY	図番 DWG NO.

DRAWN Apr. 16 '01	T. YAMASAKI		TITLE CS-120A
CHECKED Apr. 16 '01	Y. KIMURA		名称 外部インターフェース
APPROVED Apr. 16 '01	Y. KIMURA		外寸図
SCALE 1/4	MASS 3 ±10% kg		NAME INTERFACE UNIT
DWG.No. C1233-005-F			OUTLINE DRAWING



注 記



- 1) 架台フランジ上の矢印を船首方向に一致させることができないときは、指示装置内で船首線を調整のこと。
- 2) 装備位置に応じて 382mm 以内で切断のこと。
- 3) オプションの送受波器を使用するときは、若干形状・寸法が異なります。

NOTE

1. HEADING ADJUSTMENT IS REQUIRED IN DISPLAY UNIT IF THE ARROW MARK ON GALLOWS FLANGE DOES NOT FACE SHIP'S BOW.
2. CUT THE TANK WITHIN 382 mm IN LENGTH ACCORDING TO INSTALLATION SITE.
3. THE DIMENSIONS OF TRANSDUCER MAY BE CHANGED SLIGHTLY WHEN AN OPTIONAL TRANSDUCER IS USED.

7	六角ボルト HEX. BOLT	SUS304	13	M20×120	
6	絶縁パッキン(2) INSULATION PACKING(2)		37	MS-1000-68	
5	絶縁パッキン(1) INSULATION PACKING(1)		48	MS-1000-67	
4	平座金 FLAT WASHER	SUS304	37	MS-1000-69	
3	バネ座金 SPRING WASHER	SUS304	24	FOR M20	
2	六角ナット HEX. NUT	SUS304	48	M20	
1	Oリング O-RING		1	JISB2401 V585	
品番 ITEM	品名 NAME	材質 MATERIAL	数量 Q'TY	図番 DWG.NO.	摘要 REMARKS

DRAWN 02/06/20 T. YAMASAKI	TYPE CSH-3080/21080
CHECKED 02/6/20 Y.K.	名称 上下装置(ストローク800mm)
APPROVED 02/6/20 Y.K.	外寸図
SCALE MASS	MODEL BLOCK No.
Dwg No. C1257-014- F	NAME HULL UNIT (800mm TRAVEL)
	OUTLINE DRAWING



注 記



- 1) 架台フランジ上の矢印を船首方向に一致させることができないときは、指示装置内で船首線を調整のこと。
- 2) 装備位置に応じて 382mm 以内で切断のこと。
- 3) オプションの送受波器を使用するときは、若干形状・寸法が異なります。

NOTE

1. HEADING ADJUSTMENT IS REQUIRED IN DISPLAY UNIT IF THE ARROW MARK ON GALLOWS FLANGE DOES NOT FACE SHIP'S BOW.
2. CUT THE TANK WITHIN 382 mm IN LENGTH ACCORDING TO INSTALLATION SITE.
3. THE DIMENSIONS OF TRANSDUCER MAY BE CHANGED SLIGHTLY WHEN AN OPTIONAL TRANSDUCER IS USED.

7	六角ボルト HEX. BOLT	SUS304	13	M20×120	
6	絶縁パッキン(2) INSULATION PACKING(2)		37	MS-1000-68	
5	絶縁パッキン(1) INSULATION PACKING(1)		48	MS-1000-67	
4	平座金 FLAT WASHER	SUS304	37	MS-1000-69	
3	バネ座金 SPRING WASHER	SUS304	24	FOR M20	
2	六角ナット HEX. NUT	SUS304	48	M20	
1	O リング O-RING		1	JISB2401 V585	
品番 ITEM	品名 NAME	材質 MATERIAL	数量 Q'TY	図番 DWG.NO.	摘要 REMARKS

DRAWN 02/06/20 T. YAMASAKI	TYPE CSH-3120/21120
CHECKED 02/6/20 Y. K.	名称 上下装置 (ストローク1200mm)
APPROVED 02/6/20 Y. K.	外寸図
SCALE MASS	MODEL BLOCK No.
Dwg No. C1257-015- G	NAME HULL UNIT (1200mm TRAVEL)
	OUTLINE DRAWING



注 記


- 1) 架台フランジ上の矢印を船首方向に一致させることができないときは、指示装置内で船首線を調整のこと。
- 2) 装備位置に応じて 282mm 以内で切断のこと。
- 3) 架台最上部にはアイボルトを利用して必ず防振用のステーを張ること。
- 4) オプションの送受波器を使用するときは、若干形状・寸法が異なります。

NOTE

1. HEADING ADJUSTMENT IS REQUIRED IN DISPLAY UNIT IF THE ARROW MARK ON GALLOWS FLANGE DOES NOT FACE SHIP'S BOW.
2. CUT THE TANK WITHIN 282 mm IN LENGTH ACCORDING TO INSTALLATION SITE.
3. UTILIZING EYE-NUTS ON TOP OF UNIT, EXTEND REINFORCEMENT STAYS TO SHIP'S HULL TO MINIMIZE VIBRATION OF UNIT.
4. THE DIMENSIONS OF TRANSDUCER MAY BE CHANGED SLIGHTLY WHEN AN OPTIONAL TRANSDUCER IS USED.


7	六角ボルト HEX. BOLT	SUS304	13	M20×120	
6	絶縁パッキン(2) INSULATION PACKING(2)	フェビリカ	37	MS-1000-68	
5	絶縁パッキン(1) INSULATION PACKING(1)	フェビリカ	48	MS-1000-67	
4	平座金 FLAT WASHER	SUS304	37	MS-1000-69	
3	バネ座金 SPRING WASHER	SUS304	24	FOR M20	
2	六角ナット HEX. NUT	SUS304	48	M20	
1	O-リング O-RING		1	JIS B 2401 V585	
品番 ITEM	品名 NAME	材質 MATERIAL	数量 Q'TY	図番 DWG. NO.	摘要 REMARKS

DRAWN 02/06/20 T. YAMASAKI	TYPE CSH-3160/21160
CHECKED 02/06/20 Y.K.	名称 上下装置 (ストローク1600mm)
APPROVED 02/06/20 Y.K.	外寸図
SCALE MASS	MODEL BLOCK No.
Dwg No. C1257-080- D	NAME HULL UNIT (1600mm TRAVEL)
	OUTLINE DRAWING




FURUNO ELECTRIC CO., LTD.


① キール上(突出) ON KEEL (PROJECTED)




② キール横(突出) OFF KEEL (PROJECTED)



③ キール横(非突出) OFF KEEL (NOT PROJECTED)



④ 整流覆 FAIRING PLATE



準備手順

- 船底板及び二重船底板にφ586の穴を明ける。
- 次の事に注意して格納タンクを船底板に連続スミ肉溶接する。
* タンクのフランジ面が標準走航時に水平になる事。
* フランジ面のボルト穴の中心が船首方向になる事。
* 送受波器を突出させた時に送受信ビームがキールで遮られないように、フランジ面のキールより高さ"Ht"を図示の範囲にする事。
* タンク下端がキールより下に出ないようにタンクの長さ"Lt"は"Ht"より短くする。且つ、送受波器がタンク下端より出ないように図示の範囲にする。(標準支給長1300mm)
- 格納タンクの周囲に外径φ1300以上のダブリング⑧を取り付ける。又、突出装備(①、②)の場合には整流覆⑨(D図)を取り付ける。ダブリングと整流覆には、船底板と同じ材質、肉厚のものを使用する事。
- タンク周囲に油槽がある場合には、隔壁⑥をめぐるせ、コファダム⑩を設ける事。
- タンク周囲4ヶ所以上に補強板⑤を溶接する。
- 上下装置本体を格納タンクにボルト締めるのに必要なスペースとして、フランジ面の位置が二重船底板より250mm以上離す。二重船底が高い船には③図の方法で二重船底板を下げ、スペースを確保すること。

INSTALLATION METHOD OF RETRACTION TANK

- Cut out $\phi 586$ hole on hull and inner hull plate.
- Install tank to hull plate with fillet welding taking the following points into account.
* Flange face is exactly horizontal at normal Ship's trim.
* One of 24 bolt holes on flange is faced dead ahead.
* Allow height of flange face from keel bottom "Ht" mentioned in the drawings, otherwise transducer beam is blocked by the keel when transducer is fully lowered.
* Tank's length "Lt" should be less than "Ht". If not so, bottom end of tank is placed below keel level. "Lt" is also limited as shown in the drawings so that the transducer can be fully retracted in tank. (The tank is supplied with 1300mm long as standard.)
- Fit doubling plate ⑧ of outer dia. $\phi 1300$ around the tank on hull plate. Fit fairing plate ⑨ referring to the drawing ④ for installation method ① and ②. Use same material and thickness of doubling and fairing plate as hull plate.
- Provide cofferdam around the tank in order to isolate the tank from the oil tank.
- Install 4 pcs. of reinforcement plates between the tank and the hull plate.
- Allow clearance of more than 250mm below the flange face for easy bolting. Sink the inner hull plate as shown in the drawing ③ for high inner hull plate.

10	コファダム COFFERDAM				
9	整流覆 FAIRING PLATE				
8	ダブリング DOUBLING				
7	船底板 HULL PLATE				
6	油槽隔壁 BULKHEAD				
5	補強板 REINFORCEMENT PLATE				
4	二重船底板 INNER HULL PLATE				
3	補強リブ REINFORCEMENT RIB				
2	タンクフランジ TANK FLANGE				
1	格納タンク RETRACTION TANK				
品番 ITEM	品名 NAME	材質 MATERIAL	数量 Q'TY	図番 DWG.NO.	摘要 REMARKS


CSH-20/21 SINGLE freq.

承認 APPROVED	THIRD ANGLE PROJECTION	名称 TITLE	格納タンク装備要領図(鋼船) INSTALLATION METHOD OF RETRACTION TANK(STEEL HULL)
検図 CHECKED	尺度 SCALE	図番 DWG.NO.	C1257-082-C
製図 DRAWN	重量 WEIGHT	kg	


注) CSH-20S/20F/21Fでは 1200/1600ストロークのみ。

FOR 1300mm TANK

A




ケーブル導入口
CABLE ENTRY




アース端子
GND TERMINAL

電源
SOURCE

B



C



寸法区分 (mm) DIMENSION	公差 (mm) TOLERANCE
$0 < L \leq 50$	± 1.5
$50 < L \leq 100$	± 2.5
$100 < L \leq 500$	± 3
$500 < L \leq 1000$	± 4

表 1 TABLE 1


D

注記


- 1) #: 推奨する最小サービス空間寸法。
2) 指定なき寸法公差は表1による。

NOTE


1. #: RECOMMENDED SERVICE CLEARANCE
2. TABLE 1 INDICATES TOLERANCE OF DIMENSIONS.



DRAWN Jul. 11 '01 T.YAMASAKI		TITLE CSH-106
CHECKED July 16 '01 Y.K.		名称 リモートディスプレイ
APPROVED July 16 '01 Y.K.		外寸図
SCALE 1/10 MASS 25 ^{±10%} kg		NAME REMOTE DISPLAY UNIT
DWG.No. C1286-G03- D		OUTLINE DRAWING



注記			
1) # : 推奨する最小サービス空間寸法。			
2) 指定なき寸法公差は表 1 による。			
NOTE			
1. # RECOMMENDED SERVICE CLEARANCE.			
2. TABLE 1 INDICATES TOLERANCE OF DIMENSIONS.			
DRAWN	JUL 11 '01	T. YAMASAKI	
CHECKED	JUL 16 '01	Y. K.	
APPROVED	JUL 16 '01	Y. K.	
SCALE	1/2	MASS 2 ±10%	
DWG.No.	C1233-007-D		
TITLE	CS-170		
名称	ネットゾンデ接続箱		
外寸図			
NAME	NET JOINT BOX		
OUTLINE DRAWING			



寸法区分(mm) DIMENSION	公差(mm) TOLERANCE
$0 < L \leq 50$	± 1.5
$50 < L \leq 100$	± 2.5
$100 < L \leq 500$	± 3

表1 TABLE 1

注記

- 1) # : 推奨する最小サービス空間寸法
2) 指定なき寸法公差は表1による。

NOTE

1. #: RECOMMENDED SERVICE CLEARANCE.
2. TABLE 2 INDICATES TOLERANCE OF DIMENSIONS.

1	2	3	4	5	6	7	8	9	10	11	12	
IN 200V		IN 110V		OUT-1 100V		OUT-2 100V						
								L M H				

□UT-1または2の出力がAC100Vになるように、10,11または12番端子にジャンパー線をつなぐ。


CONNECT JUMPER WIRE TO 11,12 OR 13 TERMINAL SO THAT 100VAC COMES OUT AT OUT-1 OR 2 TERMINALS.

DRAWN	JUL. 16 '01 T.YAMASAKI		TITLE	PT-400
CHECKED	JULY 16 '01 Y.K.		名称	電圧変圧器
APPROVED	JULY 16 '01 Y.K.	CSH SERIES		外寸図
SCALE	1/4	±10% kg	NAME	STEP-DOWN TRANSFORMER
DWG.No.	C0005-002-C			OUTLINE DRAWING

HULL UNIT

CSH-21080
CSH-21120
CSH-21160

TRANSDUCER



RAISE/LOWER CONTROL BOX

TB-D1

1 RED
2 BLK
3 YEL
4 BLK
5 BLU
6 BLK
7 BRN
8 ORG
9 BLK
10 BLK
11 GRN
12 BLK

TB-D2

1 2 3 4 5 6 7 8 9 10 11 12

GROUND TO HULL UNIT BODY

RECEIVER UNIT

CSH-220A
CSH-220K
CSH-220FII

TRANSMITTER UNIT

CSH-310
CSH-310K
CSH-310FII

DISPLAY UNIT

CSH-230
CSH-230F

REMOTE BOX

CSH-116

INTERFACE

CS-120A

SUB DISPLAY

CSH-236 (OPTION)

POWER UNIT

CSH-380B
CSH-380S

REMOTE DISPLAY

CSH-106 (OPTION)


NOTE

- ※1. GROUND THRU CABLE CLAMP.
- NUMERAL IN □ SHOWS POSITION OF CONNECTOR GUIDE PIN (LARGE) GUIDE PIN (SMALL) IS SET ALWAYS TO POSITION "1".
- ※2. CONNECT SHIELD TO CABLE GLAND INSTEAD OF "TT".
- DO NOT CONNECT RGB LINE (CONNECTOR FF/HH, MM/NN, SS/TT) OF CABLE 10S1258, OR INTERFERENCE MAY APPEAR ON THE DISPLAY.

DRAWN May 14 '98 T. AMASAKI		TYPE CSH-23/23F/23K
CHECKED May 15 '98 K. Kusunoki		名称 カラーキャニングソナー
APPROVED May 15 '98 K. Kusunoki		相互結線図
SCALE /	MASS kg	APPLICABLE TO; (MODEL)
DWG NO. E1309-C01-D		BLOCK NO.
		NAME COLOR SCANNING SONAR
		INTERCONNECTION DIAGRAM





- | | | | | | |
|-------------------------------------|------------|---------------------------|-----------|------|-------------------------|
| DRAWN
Mar 12 '98 T. YAMASAKI | | | | TYPE | CSH-24/24F |
| CHECKED
Mar 12 '98 K. Kusumicki | | | | 名称 | カラスキャンニングソナー |
| APPROVED
Mar 12 '98 K. Kusumicki | | | | | 相互結線図 |
| SCALE
/ | MASS
kg | APPLICABLE TO;
(MODEL) | BLOCK NO. | NAME | COLOR SCANNING SONAR |
| DWG NO.
E1310-C01- B | | | | | INTERCONNECTION DIAGRAM |



FURUNO ELECTRIC CO., LTD.









REMARKS		CSH72 CSH71 CSH22F CSH22 CSH21F CSH21		TYPE 10P6712
DRAWN M. USUDA				名称 POW基板
SCALE	MASS kg	APPLICABLE TO: (MODEL)	BLOCK NO.	NAME POW BOARD
/				DWG NO. C1286-K03- A

FURUNO ELECTRIC CO., LTD.




REMARKS		TYPE	
		CSH380S	
DRAWN		名称	
M. USUDA		電源装置	
SCALE		NAME	
		POWER SUPPLY UNIT	
MASS		DWG NO.	
		C1287-K03- A	
APPLICABLE TO:		BLOCK NO.	
(MODEL)			



承認 APPROVED		名称 TITLE	電源装置 POWER SUPPLY UNIT
検図 CHECKED	July 23 '85 Oncondu	CSH-380B	
製図 DRAWN	July 18 '85 Tajima	図番 DWG. NO.	C1257-066-D

CSH-20/26W/27W



承認 APPROVED	名称 TITLE	CSH-220 受信装置 CSH-220F II RECEIVER UNIT
検図 CHECKED	図番 DWG. NO.	C1257-046-B
製図 DRAWN	承認 APPROVED	

