
RT MOTORS
45 LBS THRUST
12 VOLT
36" SHAFT

for use with "J" serial numbers

3-year warranty from the date of purchase



Item	P/N	Description	Qty
1	2069254	12V Motor 36” SW	1
5	2-100-202	Armature assembly	1
10	140-010	Bearing	1
15	788-015	Retaining ring	1
20	2-200-379	Center housing assemby	1
25	2-300-332	Brush end housing assembly	1
30	2-400-187	Plain end housing assembly	1
35	144-049	Flange bearing	1
40	880-003	Seal	1
45	880-006	Seal with shield	1
50	188-052	Brush	2
55	N/A		
60	738-030	Brush plate assembly	1
65	975-032	Brush spring	2
70	701-041	O-ring, motor, front	1
75	701-039	O-ring, motor, rear	1
80	701-007	O-ring, thru-bolt	2
85	830-001	Screw, 8-32	2
90	830-078	Thru-bolt	2
95	990-067	Washer, steel	2
100	990-070	Washer, nylatron	2
135	640-001	Leadwire, black	1
136	640-111	Leadwire, red	1
■	2883460	Seal and O-ring Kit	
200	2095606	Decal, c-box cover	1
205	2060296	C-box cover	1
208	2325666	Decal - MinnKota	2
210	2074080	Battery meter, 12v SW	1
220	2064023	Switch 5 speed	1
230	2062506	Control box, 5 SPD, SW	1
235	2062905	Strain relief	1
240	2303412	Screw, #6 x 5/8 SS	6
250	2263406	Screw, #10-24 x 2 SS	1
260	2333101	Nut, 10-24, nylock, SS	1
265	2991521	Cam lock/depth collar assy	1
■	2991797	Bracket assy, Composite [270-356]	1
270	2060100	Knob, steering tension, soft	1
275	2068400	Collet	1
280	2064200	Lock arm	1
285	2062701	Spring, lock arm	1
290	2061821	Hinge	1
295	2062603	Pin, lock, ss	1
300	2062603	Pin, lock, ss	1
305	2037301	Bushing, hinge	1
310	2032031	Tube 36”	1
315	2063501	Bolt 1/4-20 x 2 3/8”, ss	3
320	2771950	Bracket, right, FW	1
325	2067905	Cam deactivator	1
330	2067306	Bushing, dowel 1/4 x 1/2	3
335	2062700	Spring, cam deactivator	1
■	2881380	Clamp screw kit	2 per kit
350	2771955	Bracket, left, FW	1
355	2263103	Nut, 1/4-20, nylock, ss	3
356	2062604	Pin, stop	1
■	2990956	Handle assy, 5SPD [360-410]	1
360	2990451	Grip/handle assy, 5SPD [360-375]	1
365	2060015	Bearing, handle	2
370	2063405	Screw, #6 PFH SS	1
375	2884091	Yoke / spider assy, 5SPD	1
380	2302742	Spring, detent, off	1
385	2060005	Bearing, handle pivot	2
390	2060900	Handle pivot, top	1
395	2302745	Spring, release button	1
400	2063700	Button, release	1
405	2060905	Handle pivot, bottom	1
410	2303412	Screw, #6 x 5/8 SS	6
415	2062715	Spring, handle pivot	1
425	2992524	Leadwire assy, includes [235]	1
■	1378121	Propeller kit	
1000	2061122	Propeller	1
1010	2092600	Drive pin, small	1
1015	2151726	Washer, prop, small	1
1020	2198400	Nut, nylock, prop, Anode	1

REELSCHEMATIC

* This item is part of an assembly. This item cannot be sold separately due to machining and /or assembly that is required.

Riptide 45 is 12-volt only!

THIS IS A UNIVERSAL MULTI-VOLTAGE DIAGRAM. DOUBLE CHECK YOUR MOTORS VOLTAGE FOR PROPER CONNECTIONS

FIVE SPEED SWITCH
INTERRUPTEUR A CING VITESSES

